

Qoltec[®]



SAFETY WARNINGS FOR USE DISPLAYPORT CABLES

The following list of safety warnings has been compiled in accordance with the requirements of the General Product Safety Regulation (EU) 2023/988 (GPSR). Its purpose is to protect users from potential hazards arising from the misuse of products. The warnings have been formulated in a simple and way understandable to be accessible to a wide audience, including the elderly and people with reduced mobility.

DisplayPort cables on offer from manufacturer NTEC sp. z o.o. are CE certified, which proves their compliance with EU safety standards.

Use DisplayPort cables as intended and as recommended by the manufacturer.

BASIC HAZARDS AND PRECAUTIONS

1. Risk of electric shock

- Damaged wires or plugs can conduct electricity, posing a risk of shock.
- Check cables and connectors regularly for damage such as cracks in the insulation.
- Never touch any part of the cable with wet hands, as this can lead to an electric shock.

2. Risk of overheating:

- Pay attention to the standard of the cable and its compatibility with your equipment and compatibility with expectations. Choosing an unsuitable cable DisplayPort may result in equipment overheating.
- Bending the cable in a way that restricts the flow of current can cause localised overheating.

3. Risk of injury:

- The sharp edges of damaged plugs or broken covers can cause injuries during installation or use.

SPECIFIC HAZARDS ARISING FROM USE

4. Moisture risk:

- Moisture can lead to corrosion of the connector contacts DisplayPort and short circuits in the cables.
- Use the cables only in dry and well-ventilated areas.

5. Tripping hazards:

- Loose cables on the floor can pose a risk of tripping and falling.
- Cables should be secured with brackets, cable trays or organisers.

6. Risk of damage to insulation:

- Pulling cables over sharp edges or bending them excessively can lead to insulation damage and exposed wires.
- Cables should be installed in accordance with the manufacturer's recommendations, avoiding sharp edges.

7. Risk of signal interference:

- Avoid placing cables DisplayPort next to power cables, as this can cause signal interference.
- Cables should be installed away from sources of electromagnetic interference.

MAINTENANCE PRECAUTIONS

8. Cleaning:

- The use of water or aggressive cleaning agents may damage the cables DisplayPort or their contacts.

- Clean the cables only with a dry cloth, avoiding the use of cleaning fluids.
- Contaminated plug contacts can lead to a loss of quality of the transmitted signal.
- Regular cleaning of the contacts with suitable preservatives (e.g. isopropanol) can prevent problems.

9. Status check:

- Regularly check the quality of the connection between the cable and the sockets on the connected devices.

10. Storage:

- When the cable is not in use, store it in a dry place, away from heat sources.

ADDITIONAL WARNINGS

11. Child safety

- Keep the cable out of the reach of children to prevent accidental damage or injury.

12. Avoid modifications

- Modifying or repairing cables yourself cable DisplayPort may lead to damage to the and void the warranty.

13. Action in the event of an emergency:

- If the product exhibits abnormal operation, such as unusual odour, appearance or sounds, immediately stop using it and contact the service department.
- If you observe any unsafe product behaviour, contact the urgently manufacturer .

THE IMPORTANCE OF COMPLYING WITH THE WARNINGS

Following the above warnings minimises the risk of personal injury, equipment failure and property damage. Ignoring the recommendations can lead to serious health and material risks. Keep yourself and your loved ones safe by observing the precautions indicated.

PRODUCER

NTEC sp. z o.o.
44B Chorzowska Street
44-100 Gliwice
POLAND
info@qoltec.com
tel: +48 32 600 79 89