

Qoltec[®]

Model: 50653

INSTRUCTION MANUAL

Rechargeable battery charger Ni-MH R03 AAA R6
AA

Model : 50653

Introduction

Thank you for purchasing this rechargeable battery charger for R03 AAA or R6 AA rechargeable batteries. Please read the following operating instructions carefully to ensure correct and safe use.

About the Product

Qoltec's intelligent microprocessor-controlled charger for Ni-MH battery type R03/AA R6/AAA, ideal for all owners of rechargeable battery-powered devices. Can charge 1, 2, 3 or 4 batteries simultaneously. It has a quick recognition of the battery's state of charge and automatically stops charging when the battery is fully charged.

Product features

Input	220 - 240 V
Output	1.2VDC
Rechargeable battery types supported	R6/AA, R03/AA
Battery capacity	AA : 1000-3000mAh, AAA : 500-1000mAh
Number of batteries	up to 4 pieces
Operating temperature	0°C ~+35°C

- Individual handling of each cell
- Possibility to charge 1, 2, 3 or 4 batteries at the same time
- LEDs
- Automatic charging pause when full charge is reached
- Equipped with excellent overload protection
- The well-thought-out design allows for easy insertion and removal of batteries and provides protection against batteries falling out of the device (Photo 1)
- Plugged directly into the mains socket (Photo 2)
- Economical and safe - has short-circuit protection.

Security

- Read these instructions before use
- Do not use the charger in a damp or wet environment.
- Store the charger in a dry and cool place,
- Avoid direct sunlight and high temperatures,
- Avoid contact of the charger with water and other liquids.
- Do not disassemble or modify the charger.
- Keep the device away from children.
- Do not leave the charger unattended for long periods.
- Use only compatible AA or AAA rechargeable batteries.
- Do not charge damaged or leaking batteries.

Technical Specifications

Operating Instructions

1. Make sure the charger is switched off and not plugged in.

2. Select suitable R03 AAA or R6 AA rechargeable batteries for charging.
3. Insert the R03 AAA or R6AA rechargeable batteries into the charger, paying attention to the correct polarity (+ and -).
4. Ensure that the rechargeable batteries are properly seated in the compartment.
5. Connect the charger to a power source.
6. Check the charging indicators - LEDs - to make sure charging has started.
 - a. The LEDs will signal the process of detecting the state of charge of the batteries by changing colour in a red-green-red sequence when the batteries are not fully charged and the charging process begins.
7. When charging is complete, the charging indicators will turn green or go out.
8. Disconnect the charger from the power source.
9. Carefully remove the rechargeable batteries from the charging compartment.

Problem solving

1. Charger does not switch on
Check the power connection and make sure the socket is working.
2. Rechargeable batteries do not charge
Check the polarity of the rechargeable batteries and make sure they are seated correctly.
3. Charging indicator not lit
Check that the rechargeable batteries are compatible with the charger and that they are correctly seated.

Maintenance

1. Clean the charger contacts with a dry cloth.
2. Do not use chemicals or abrasives for cleaning.

Disposal

1. Dispose of used rechargeable batteries according to local electronic waste regulations.
2. Do not dispose of rechargeable batteries in a fire or burn them.

Guarantee

The charger is covered by a 24-month manufacturer's warranty from the date of purchase. In case of problems, please contact customer service.

Attachment 1

1.



2.

