



Qoltec Automatic charger for AGM GEL STD 6V/12V battery | 2A | Rectifier with repair function and LED display

Product code: 52426

Compact 30W charger for 6V and 12V lead-acid battery of AGM GEL STD type. The device automatically controls the charging process, protecting the battery from overcharging, overheating and short-circuiting. The charger has a cell regeneration function and an easy-to-read LED display. Intuitive operation and easy installation.

EXCELLENT PERFORMANCE THROUGH INTELLIGENT CONTROL



Full compatibility with AGM, GEL and STD batteries

Proper selection of the right battery charger is extremely important if you want your battery to serve you for a long time . The wrong charger can result not only in extended charging times, but also a significant reduction in the life of the battery. **The Qoltec charger is a microprocessor-based precision charging** , one charger for lead-acid, AGM, GEL and STD batteries - ideal for motorcycles, ATVs, lawnmowers, electric toys or emergency power systems.

CHARGING AT THE HIGHEST LEVEL - CREATED FOR HASSLE-FREE OPERATION AND LONG LIFE OF YOUR BATTERIES

Key product features

- Automatic charging and power adjustment,
- Output voltage: 6V/12V,
- Compatible with lead-acid batteries type : AGM, GEL, STD,
- LED signaling: red - charging, green - battery charged,
- Universal black housing, compact size, long cable,
- Intuitive operation and easy installation,
- Ideal for vehicles and home appliances.

RESTORE LIFE TO USED BATTERIES AND CONTROL EVERY STAGE OF CHARGING



With LED display and repair function

The device is equipped with **easy to read LED display**, which reports the battery voltage and charging progress. This solution not only increases the convenience of operation, but also eliminates the risk of errors – especially when charging different types of batteries. The charger also offers **selectable operation mode including cell regeneration mode**, which can help restore performance to older or long-unused batteries.

RECTIFIER WITH A FULL SET OF SAFETY FEATURES AND AUTOMATIC CONTROL OF THE CHARGING PROCESS

Automatic charger with LED and safety package – You always know what stage of charging you are

A smart LED indicator keeps you informed about the stage of the charging process – without having to unplug the device or measure the voltage. **A red LED indicates charging in progress, and when the charging is complete, a green LED indicates that the battery is fully operational**. Automatic safeguards protect against overvoltage, overcharging and misconnection, and an intelligent charging system will take care of your battery from start to full charge.

SIMPLE INSTALLATION - MAXIMUM CONVENIENCE OF USE



Quick and simple connection of the charger to the battery

The length of the cable and sturdy housing make the device convenient and hassle-free to use. Connecting the charger is quick and easy, just attach the clamps to the battery connectors properly. **The red connector is clipped to the positive pole, and the black connector to the negative pole**. Once the charger is connected to the power source, the charger is ready for charging.

CONFIDENCE CONFIRMED BY A WARRANTY

Product with 24 months guarantee

Do you care about the high quality of the product you are buying? Our solutions will meet your expectations. The chargers we offer come with a

24-month guarantee from the date of

TECHNICAL DATA

Producer	Qoltec
Power	30W
Input voltage	220 – 240V
Output voltage	6/12VDC
Type of charging	CC-CV
Output current	2A
Battery capacity	2Ah – 20Ah
Charging time	Depending on battery capacity
Connector	Red and black alligator clip clamps
Display	LED
Protection	Against short circuit Against overheating Against overload Against open circuit Against reverse polarity Against overcharge
Protection against inverse polarity	Yes
Cable length	1.70m
Usage	Maintenance-free batteries: AGM GEL STD
OTHER PARAMETERS	
Colour	Black
Material	Polycarbonate (PC)
Operating temperature	-20°C ~ +40°C
Dimensions (D/L x W x H)	48 x 58 x 95 mm
Package	Box
Package contents	1 x Charger 1 x Warranty card
Package depth / length [mm]	70
Package width [mm]	78
Package height [mm]	170
Net weight [kg]	0.227
Gross weight [kg]	0.260
Certificate	CE
Warranty	24 month
EAN code	5901878524269