

Qoltec DisplayPort v2.1 male cable | DisplayPort v2.1 male | 8K | 54G | 1.5m

Product code: 52734

The DisplayPort 2.1 DP80 cable with UHBR13.5 support offers a bandwidth of up to 54 Gb/s, enabling the transmission of high-resolution video, including 8K, while maintaining a stable signal thanks to its shielded design.

IT'S TIME FOR BETTER PICTURE AND SOUND QUALITY



Ideal for Multimedia, Work and Gaming – 8K, DP80 and UHBR13.5

Discover a new level of picture and sound quality with the DisplayPort 2.1 DP80 cable . With support for **UHBR13.5 technology and a bandwidth of up to 54 Gb/s** , the cable enables stable high-resolution signal transmission, including up to 8K. It is the perfect solution for work, multimedia and gaming, where smooth visuals, detail and a reliable connection are essential. **The shielded design helps to minimise interference**, ensuring stable operation and high-quality signal transmission.

YOUR KEY TO PERFECT PICTURE AND SOUND



8K cable, compatible with TVs, laptops and home cinema systems
This is a practical choice for users who expect high-quality images, smooth performance and a reliable connection on a daily basis. The cable is ideal for both home multimedia set-ups and more demanding computer configurations.
- **Supports resolutions up to 8K –** detailed images and high display quality,
- **Bandwidth up to 54 Gb/s, –** fast and stable signal transmission,
- **DP80 / UHBR13.5 standard –** a modern solution for demanding users,
- **Video and audio transmission via a single cable –** a convenient connection without additional audio cables,
- **Wide compatibility –** can be connected to a computer, laptop, monitor, projector, docking station or graphics card with a DisplayPort,
- **Shielded design –** reduces interference and ensures stable operation of devices.

DISPLAYPORT 2.1 – THE PERFECT CHOICE FOR WORK AND ENTERTAINMENT



Version 2.1 – Bandwidth up to 54 Gb/s and 8K support

The DisplayPort 2.1 DP80 cable is a state-of-the-art solution for users who expect high-quality images, stable transmission and smooth performance. **With support for UHBR13.5 and a bandwidth of up to 54 Gb/s, it enables the transmission of high-resolution signals, including up to 8K** , making it ideal for work, watching multimedia and gaming. Compared to earlier versions of the standard, DisplayPort 2.1 DP80 offers higher bandwidth and better support for demanding display set-ups.

FLEXIBLE DESIGN, RELIABLE SIGNAL



Shielding, CCS and 30AWG – stable transmission and convenient use

The cable's shielded design helps to minimise the impact of electromagnetic interference, ensuring stable transmission of picture and sound even during intensive use. **The cable, manufactured using CCS technology (copper-clad steel), combines adequate mechanical strength with good signal conductivity, whilst the 30 AWG gauge ensures the cable remains flexible and convenient for everyday use.**

TRUST BACKED BY A GUARANTEE

This product comes with a 2-year warranty

Do you care about the high quality of the product you're buying? **Our solutions are designed to meet your expectations.** Each of the DisplayPort cables we offer is covered by a 24-month warranty valid from the date of purchase.

TECHNICAL DATA

Producer	Qoltec
Type	DisplayPort male / DisplayPort male
Standard	DP v2.1
Class	DP80 / UHBR13.5
Data transfer	54 Gb/s
AWG cross section	30AWG
Conductor construction	CCS
Resolution	8K
Application	laptop, PC
Additional information	Ekranowany Obsługiwana rozdzielczość i częstotliwość odświeżania zależą od parametrów urządzenia źródłowego, monitora oraz zastosowanych ustawień
OTHER PARAMETERS	
Colour	Black
Insulating material	PVC
Working temperature	-20 C ~ +60
Cable length	1.5 m
Package	Blister
Package contents	1 x DisplayPort cable
Package depth / length [mm]	15
Package height [mm]	240
Package width [mm]	205
Net weight [kg]	0.085
Gross weight [kg]	0.094
Warranty	24 month
EAN code	5901878527345