



Qoltec Stationary barcode reader code scanner + reader stand | 1D | USB

Product code: 50852

The Qoltec laser barcode reader for scanning 1D codes will allow you to enjoy reliability and comfort at work. Its precision, speed, ease of use and compatibility with various systems make it an invaluable aid in everyday work.

Our device guarantees:

- reading of 1D codes on an electronic screen,
- resistance to falls from up to 1.5 m,
- scanning speed of 350 scans per second,
- scanning at different angles,

Contact us and **we will create a custom barcode for you according to your specifications**, at no additional charge.

EASY TO SCAN - HIGH QUALITY WITH FUNCTIONALITY



Compatible with multiple devices and standards

The Qoltec laser barcode reader is fast, accurate and extremely easy to use. In addition, the reader is **compatible with many devices and standards**. Whether you want to scan a **1D code**, our scanner can handle it. Simply place the product on the scanner and one click will confirm the reading of the information encoded in the code. Features such as reading from computer screens or mobile devices add flexibility to the use of this device in various working environments.

PRECISION READING OF 1D CODES




Scanning speed of 350 scans per second, ergonomic design

With devices such as the Qoltec barcode reader, the work of even the largest warehouses or logistics points is quick and easy. Readers are used in shops, pharmacies, logistics points, airports, libraries, offices, offices, gyms and many other places you visit every day. Our reader will work perfectly in any of these places.

The device guarantees:

- reading of **1D and codes**,
- efficient operation with a speed of **350 scans per second**,
- **scanning of codes from various angles**,
- resistance to falls from heights of up to 1.5 m,
- ergonomic design – lightweight and comfortable to use
- certainty that the code has been read correctly thanks to an audible signal

THOUGHTFUL CONSTRUCTION - MODERN DESIGN



Convenient and intuitive to use - Plug&play

The high quality of our readers is the result of thoughtful design based on the most important aspects of these devices. We are well aware of how they are used and what is expected of them, so in order to meet even the most demanding working conditions, we set a new standard for streamlining work processes:

- **Plug&Play interface** - without installing additional software,
- **145cm cable**,
- **USB plug** - allows the device to be connected to a PC or laptop, so the reader can work 24 hours a day,
- **compatible with Windows/Mac OS, Linux, Android**,
- **ergonomic shape** - makes working with the reader easier
- **modern design**

CONFIDENCE CONFIRMED BY A WARRANTY

The product is covered by a 24-month warranty

Do you care about the high quality of the product you are buying? Our solutions will meet your expectations. Each of the barcode scanners we offer comes with a **24-month guarantee** valid from the date of purchase.

TECHNICAL DATA

Producer	Qoltec
Scanner type	Wired
Scan Type	Laser
Input voltage	DC 5V 5%
Scanning speed	350 times/sec
Barcode Types	1D
Decoding capability	1D : Code39, Code32, UPC-A, UPC-E, EAN-8, EAN-13, ISSN, ISBN, Code93, Code128, Codabar, Interleaved 2 of 5 ITF25, Brazilian bank code, Industrial 2 of 5, Code11, Standard 2 of 5, Matrix 2 of 5, China Postal Code
Scanning depth	Code39 10.83mil 1cm - 34cm Code39 5.83mil 2cm - 17cm Code39 10.83mil 1cm - 28cm Code93 7.50mil 2cm - 22cm Code128 7.50mil 2cm - 22cm
Scan mode	Manual, Continuous scanning, Self sensing mode (customized)
Scanning Angle	Rotation 30 , vertical 65 , yaw 65
Operating current	30mA (working mode); 15mA (standby mode); 70mA (peak mode)
Print contrast	30%
Interface	USB, RS232
Shock resistance	1.5m
Resolution	4mil

Scanning distance	1cm-120cm
Supported operating systems	Linux, Android, Windows XP, 7, 8, 10, MAC
Signalization	Sound
Cable length	~1.45m
Language	Polish, English, French, Dutch, German, Spanish (international), Italy (Italian 142), Turkish, Finnish,Russian, Slovak, Portugal
Usage	Logistics Warehouses Commerce Libraries Airports Monitoring of medicines and medical supplies
OTHER PARAMETERS	
Material	ABS + PC
Colour	Black
IP Rating	IP52
Working temperature	0°C ~ +50°C
Working humidity	20-85% without condensation
Storage humidity	20-85% without condensation
Dimensions (D/L x W x H)	165 x 60 x 40 mm (scanner), 120 x 65 x 130 (stand)
Package contents	1 x Stationary 1D barcode reader 1 x USB cable 1 x Operating manual 1 x Warranty card
Package depth / length [mm]	128
Package width [mm]	210
Package height [mm]	90
Net weight [kg]	0.202
Gross weight [kg]	0.341
Warranty	24 month
EAN code	5901878508528