



## Qoltec NV2270 enclosure for drive M.2 SSD | SATA | NVMe | USB-C | 2TB

Product code: 52270

Portable M.2 SATA drive enclosure, allows you to connect an SSD to the device of your choice via a high-speed USB-C connector. Enclosure compatible with drives of different lengths. The USB 3.1 Gen2 interface enables data transfer rates of up to 10Gbps. A single drive supports a maximum of 2TB. Plug&play function.

- Plug&play functionality
- Aluminium enclosure
- Maximum drive capacity 2TB
- Maximum transfer rate : 10Gbps
- UASP support

WE CREATE SOLUTIONS THAT MAKE A DIFFERENCE IN EVERYDAY LIFE



Qoltec's SSD Drive Pocket is **the ideal solution for those looking for mobile and easy-to-use data storage options**, and is an interesting alternative, not only for those with documents or private files on disks, but also for small businesses wishing to archive their computer data **without investing in other costly solutions**.

## DATA TRANSFER OF UP TO 10GB/S



The M.2 drive enclosure from Qoltec is a :

- suitable for **M.2 SSD NVMe with M-Key** and **SATA with B+M-Key** with sizes : 2230, 2242, 2260, 2280,
- **UASP support**, allows multiple commands to be executed at the same time,
- **OTG support**, works with laptops and smartphones
- **USB 3.1 Gen2 interface** enables data transfer at a speed of 10 Gb/s,
- device is **compatible with USB 3.1 Gen1 and USB 2.0**,
- **LED indicates** copy status,
- Single M.2 drive **supports up to 2TB**,
- Useful when there is no other way to connect an SSD,
- USB cable included,
- no need to install drivers, simply plug into a USB port and use thanks to the simplicity of the **Plug&Play** function.

## MAXIMUM MOBILITY IN AN ELEGANT ALUMINIUM HOUSING



The compact and handy enclosure for your M.2 SSD is a stylish protection for your valuable data . The case is made of high-quality aluminium, which further helps to dissipate heat. The compact size of the enclosure will allow you to take it with you to work or wine places, the pocket fits easily into a backpack . The durable enclosure provides effective protection against crushing and prevents any damage to the drive.

## SUPPORT FOR M.2 SATA AND NVME DRIVES



To install the SSD, you don't need any special tools, just unscrew and slide out the case, insert the drive accordingly and slide it back into the case and screw it on. After connecting the pocket to the device of your choice, you are ready to go, the device is ready to operate.

## CONFIDENCE CONFIRMED BY A WARRANTY

Do you care about the high quality of the product you are buying? Our solutions will meet your expectations. The docking station comes with a **24-month guarantee** valid from the date of purchase.

## TECHNICAL DATA

|                             |                                                                                                                                 |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| Producer                    | Qoltec                                                                                                                          |
| Standard                    | SATA/NVMe                                                                                                                       |
| Capacity                    | 2TB                                                                                                                             |
| Disk dimentions             | 2230, 2242, 2260, 2280                                                                                                          |
| Transmission speed          | NVMe : 10 Gbps,<br>NGFF : 5Gbs                                                                                                  |
| Chipset                     | RTL9210B                                                                                                                        |
| Interface                   | USB-C 3.1 Gen2                                                                                                                  |
| Housing type                | External                                                                                                                        |
| Operating system            | Win XP / 7 / 8 / 10 i późniejsze wersje<br>MacOS<br>Linux<br>Android                                                            |
| Cable length                | ~0.250 m                                                                                                                        |
| OTHER PARAMETERS            |                                                                                                                                 |
| Colour                      | Black                                                                                                                           |
| Material                    | Aluminium                                                                                                                       |
| Housing dimensions          | 101 x 40 x 14 mm                                                                                                                |
| Package contents            | 1 x NV2270 enclosure<br>1 x USB / USB-C cable<br>1 x Screwdriver<br>1 x Screwdriver set<br>1 x User manual<br>1 x Warranty card |
| Package depth / length [mm] | 96                                                                                                                              |
| Package width [mm]          | 154                                                                                                                             |
| Package height [mm]         | 40                                                                                                                              |
| Net weight [kg]             | 0.120                                                                                                                           |
| Gross weight [kg]           | 0.178                                                                                                                           |
| Warranty                    | 24 month                                                                                                                        |
| EAN code                    | 5901878522708                                                                                                                   |