


Qoltec Self-locking cable tie | 2.5*100mm | 100 pcs. | Nylon66 | UV | Black

Product code: 52190

High-quality **Qoltec cable ties** are highly functional and suitable for practically any application. They feature:
- high mechanical and thermal strength,
- UV resistance,
- resistance to acids,
- easy installation.

QOLTEC – CABLE TIES THAT ORGANIZE ANY CHAOS!



Cable ties designed for home, office, and industrial applications

Discover the versatility of Qoltec cable ties , commonly referred to as **zip ties**, made from **flexible and durable nylon 66** . These practical accessories are perfect for **organizing** various elements, from cable management in your home or office. Thanks to their **versatility**, they are found everywhere — from **households and telecommunications to automotive workshops, gardening, electrical installations, and warehouses**. See how Qoltec cable ties can simplify your daily tasks!



Advantages of nylon 66 include flexibility along with durability, UV resistance, chemical resistance, and a wide temperature range

Qoltec cable ties are high-quality products resistant to tearing. Made from nylon 66, they offer significantly better properties compared to traditional PVC ties:

- 1. **Nylon 66** is a material with **higher tensile strength and tear resistance**, making these ties more durable and reliable, even in tough conditions.
- 2. It maintains its properties over a wide temperature range from **-35 C to +85 C**, making zip ties ideal for **use in various environments**.
- 3. The ties are also **UV-resistant**, preventing degradation from prolonged sun exposure.
- 4. Nylon 66 offers **resistance to many chemicals**, making Qoltec ties suitable for use in **workshops, laboratories, and other industrial environments**.

CABLE TIES: YOUR ALLY IN ORGANIZATION AND STABILITY



Incredibly intuitive installation allows for a perfect fit to the user's needs

Using cable ties is exceptionally **quick and easy!** Simply **fit** the tie around the items to be joined, **thread** the end through the opening, and **tighten.** Due to their flexibility and elasticity, the tie enables **easy adjustment of the grip**, making it highly functional. Additionally, the evenly spaced teeth allow for **precise alignment of the joined elements**, ensuring reliability and durability in every application.

CONFIDENCE CONFIRMED BY A WARRANTY



Product covered by a 2-year warranty

Looking for high quality in your purchase? Our solutions meet your expectations. This product comes with a **24-month warranty** from the date of purchase.

TECHNICAL DATA

Producer	Qoltec
Material	Nylon 66
Dimensions	2.5 x 100 mm
Quantity	100 pcs.
Resistance grade	UL 94 kl. V2
Operating temperature	-35°C to 85°C
Additional information	- easy of use - UV resistance - high thermal resistance - high mechanical strength - resistant to acids - resistant to high temperature - erosion-resistant
OTHER PARAMETERS	
Colour	Black
Package depth / length [mm]	120
Package width [mm]	15
Package height [mm]	280
Net weight [kg]	0.0230
Gross weight [kg]	0.0230
Warranty	24 months
EAN code	5901878521909