


# Qoltec Self-locking cable tie | 7.2*200mm | 50 pcs. | Nylon66 | UV | White

**Product code: 52215**

High-quality **Qoltec cable ties** are highly functional and suitable for practically any application. They feature:
- high mechanical and thermal strength,
- UV resistance,
- resistance to acids,
- easy installation.

## QOLTEC – CABLE TIES THAT ORGANIZE ANY CHAOS!



## Cable ties designed for home, office, and industrial applications

**Discover the versatility of Qoltec cable ties**, commonly referred to as **zip ties**, made from **flexible and durable nylon 66**. These practical accessories are perfect for **organizing** various elements, from cable management in your home or office. Thanks to their **versatility**, they are found everywhere — from **households and telecommunications to automotive workshops, gardening, electrical installations, and warehouses**. See how Qoltec cable ties can simplify your daily tasks!



## Advantages of nylon 66 include flexibility along with durability, UV resistance, chemical resistance, and a wide temperature range

Qoltec cable ties are high-quality products resistant to tearing. Made from nylon 66, they offer significantly better properties compared to traditional PVC ties:

- 1. **Nylon 66** is a material with **higher tensile strength and tear resistance**, making these ties more durable and reliable, even in tough conditions.
- 2. It maintains its properties over a wide temperature range from **-35 C to +85 C**, making zip ties ideal for **use in various environments**.
- 3. The ties are also **UV-resistant**, preventing degradation from prolonged sun exposure.
- 4. Nylon 66 offers **resistance to many chemicals**, making Qoltec ties suitable for use in **workshops, laboratories, and other industrial environments**.

## CABLE TIES: YOUR ALLY IN ORGANIZATION AND STABILITY



# Incredibly intuitive installation allows for a perfect fit to the user's needs

Using cable ties is exceptionally **quick and easy!** Simply **fit** the tie around the items to be joined, **thread** the end through the opening, and **tighten.** Due to their flexibility and elasticity, the tie enables **easy adjustment of the grip**, making it highly functional. Additionally, the evenly spaced teeth allow for **precise alignment of the joined elements**, ensuring reliability and durability in every application.

## CONFIDENCE CONFIRMED BY A WARRANTY



# Product covered by a 2-year warranty

Looking for high quality in your purchase? Our solutions meet your expectations. This product comes with a **24-month warranty** from the date of purchase.

## TECHNICAL DATA

| | |
|---|---|
| Producer | Qoltec |
| Material | Nylon 66 |
| Dimensions | 7.2 x 200 mm |
| Quantity | 50 pcs. |
| Resistance grade | UL 94 kl. V2 |
| Operating temperature | -35°C to 85°C |
| Additional information | - easy of use<br>- UV resistance<br>- high thermal resistance<br>- high mechanical strength<br>- resistant to acids<br>- resistant to high temperature<br>- erosion-resistant |
| OTHER PARAMETERS | |
| Colour | White |
| Package depth / length [mm] | 120 |
| Package width [mm] | 15 |
| Package height [mm] | 280 |
| Net weight [kg] | 0.0960 |
| Gross weight [kg] | 0.1000 |
| Warranty | 24 months |
| EAN code | 5901878522159 |