



Qoltec DisplayPort v2.1 male cable | DisplayPort v2.1 male | 8K | 54G | 0.5m

Product code: 52733

The DisplayPort 2.1 DP80 cable with UHBR13.5 support offers a bandwidth of up to 54 Gb/s, enabling the transmission of high-resolution video, including 8K, while maintaining a stable signal thanks to its shielded design.

IT'S TIME FOR BETTER PICTURE AND SOUND QUALITY



Ideal for Multimedia, Work and Gaming – 8K, DP80 and UHBR13.5

Discover a new level of picture and sound quality with the DisplayPort 2.1 DP80 cable . With support for UHBR13.5 technology and a bandwidth of up to 54 Gb/s , the cable enables stable high-resolution signal transmission, including up to 8K. It is the perfect solution for work, multimedia and gaming, where smooth visuals, detail and a reliable connection are essential. The shielded design helps to minimise interference, ensuring stable operation and high-quality signal transmission.

YOUR KEY TO PERFECT PICTURE AND SOUND



8K cable, compatible with TVs, laptops and home cinema systems

This is a practical choice for users who expect high-quality images, smooth performance and a reliable connection on a daily basis. The cable is ideal for both home multimedia set-ups and more demanding computer configurations.

- **Supports resolutions up to 8K** – detailed images and high display quality,
- **Bandwidth up to 54 Gb/s**, – fast and stable signal transmission,
- **DP80 / UHBR13.5 standard** – a modern solution for demanding users,
- **Video and audio transmission via a single cable** – a convenient connection without additional audio cables,
- **Wide compatibility** – can be connected to a computer, laptop, monitor, projector, docking station or graphics card with a DisplayPort,
- **Shielded design** – reduces interference and ensures stable operation of devices.

DISPLAYPORT 2.1 – THE PERFECT CHOICE FOR WORK AND ENTERTAINMENT



Version 2.1 – Bandwidth up to 54 Gb/s and 8K support

The DisplayPort 2.1 DP80 cable is a state-of-the-art solution for users who expect high-quality images, stable transmission and smooth performance. With support for UHBR13.5 and a bandwidth of up to 54 Gb/s, it enables the transmission of high-resolution signals, including up to 8K , making it ideal for work, watching multimedia and gaming. Compared to earlier versions of the standard, DisplayPort 2.1 DP80 offers higher bandwidth and better support for demanding display set-ups.

FLEXIBLE DESIGN, RELIABLE SIGNAL



Shielding, CCS and 30AWG – stable transmission and convenient use

The cable's shielded design helps to minimise the impact of electromagnetic interference, ensuring stable transmission of picture and sound even during intensive use.

The cable, manufactured using CCS technology (copper-clad steel), combines adequate mechanical strength with good signal conductivity, whilst the 30 AWG gauge ensures the cable remains flexible and convenient for everyday use.

TRUST BACKED BY A GUARANTEE

This product comes with a 2-year warranty

Do you care about the high quality of the product you're buying? Our solutions are designed to meet your expectations. Each of the DisplayPort cables we offer is covered by a 24-month warranty valid from the date of purchase.

TECHNICAL DATA

Producer	Qoltec
Type	DisplayPort male / DisplayPort male
Standard	DP v2.1
Class	DP80 / UHBR13.5
Data transfer	54 Gb/s
AWG cross section	30AWG
Conductor construction	CCS
Resolution	8K
Application	laptop, PC
Additional information	Ekranowany Obsługiwana rozdzielczość i częstotliwość odświeżania zależą od parametrów urządzenia źródłowego, monitora oraz zastosowanych ustawień
OTHER PARAMETERS	
Colour	Black
Insulating material	PVC
Working temperature	-20 C ~ +60
Cable length	0.5 m
Package	Blister
Package contents	1 x DisplayPort cable
Package depth / length [mm]	10
Package height [mm]	200
Package width [mm]	110
Net weight [kg]	0.042
Gross weight [kg]	0.046
Warranty	24 month
EAN code	5901878527338