



Qoltec Stationary barcode reader and QR code scanner | 1D 2D | USB | Precision

Product code: 50879

Stationary 1D and QR 2D barcode reader will let you enjoy reliability and comfort. It will perform great even during intensive use.

Our device guarantees:

- reading of 1D and 2D codes,
- resistance to falls,
- scanning speed of 200 scans per second,
- scanning at different angles.

EASY TO SCAN - HIGH QUALITY WITH FUNCTIONALITY



Compatible with many devices and standards

Our scanner is fast, accurate and extremely easy to use. In addition, the scanner is **compatible with many devices and standards**. Whether you want to scan a 1D or 2D code, our scanner can handle it, simply apply the product - a single click confirms the reading of the information encoded in the code.

Contact us and we will create an individual barcode especially for you according to your specifications, at no extra charge.

THOUGHTFUL CONSTRUCTION - MODERN DESIGN



- Convenient and intuitive to use - Plug&play

The high quality of our readers is the result of thoughtful design based on the most important aspects of these devices. We are well aware of how they are used and what is expected of them, so in order to meet even the most demanding working conditions, we set a new standard for streamlining work processes:

- **Plug&Play interface** - without installing additional software,
- **160cm cable**,
- **USB plug** - allows the device to be connected to a PC or laptop, so the reader can work 24 hours a day,
- **compatible with Windows/Mac OS, Linux, Android**,
- **ergonomic shape** - makes working with the reader easier
- **modern design**

CONFIDENCE CONFIRMED BY A WARRANTY



Product with 24 months warranty

Do you care about the high quality of the product you are buying? Our solutions will meet your expectations. Each of the barcode scanners we offer comes with a **24-month guarantee** valid from the date of purchase.

TECHNICAL DATA

Producer	Qoltec
Scanner type	Wired
Scan Type	Laser
Input voltage	DC 5V 5%
Scanning speed	200 times/sec
Barcode Types	1D 2D
Decoding capability	1D : UPC-A , JAN /EAN-8, JAN /EAN-13 , Code 128, Code 39, Codabar, Code 93, Interleaved 2 of 5 , UPC-E UCC /EAN 128, GS1-128, ISBN-13, Industrial Standard 2 of 5 , Code 11, MSI Plessey, Code32, GS1 Composite, GS1 Databar, Composite, Matrix 2 of 5 2D : PDF417, Micro PDF 417, Micro QR Code, QR Code, Aztec code, Data Matrix, Maxicode
Scanning depth	QR Code 10.83mil 2cm - 9cm QR Code 20.83mil 2cm - 21cm Code 39 5.83mil 1cm - 12cm Code 39 10.83mil 1cm - 21cm EAN13 9.17 1cm - 15cm EAN13 10.83 2cm - 21cm
Scan mode	Manual, Continuous scanning
Scanning Angel	Rotation 360 , vertical 65 , yaw 65
Operating current	0.12A Standby) 0.18A Operating) 0.26A Max
Processor	32-bit ARM MCU + DSP
Print contrast	25%
Interface	USB
Shock resistance	1.2m
Resolution	Code39 4mil
Scanning distance	0mm - 400mm
Supported operating systems	Linux, Android, Windows XP, 7, 8, 10, MAC
Signalization	Sound
Cable length	~1.60m
Language	English, French, Dutch, German, Spanish (international), Italy (Italian 142), Turkish, Hungary,Russian, Japan, Swedish
Usage	Logistics Warehouses Commerce Libraries Airports Monitoring of medicines and medical supplies
Additional information	Error rate: 1/5000000
OTHER PARAMETERS	
Material	ABS + PC + TPU + PMMA
Colour	Black
IP Rating	IP52
Working temperature	0°C ~ +50°C
Working humidity	20-85% without condensation
Storage humidity	20-85% without condensation
Dimensions (D/L x W x H)	106 x 105 x 155 mm
Package contents	1 x Stationary 1D 2D barcode reader 1 x USB cable 1 x Operating manual 1 x Warranty card
Package depth / length [mm]	177
Package width [mm]	182
Package height [mm]	123

Net weight [kg]	0.275
Gross weight [kg]	0.507
Warranty	24 month
EAN code	5901878508795