



Qoltec Fuse base with diode + DC fuse | 1P | 1000V | 30A | 10x38 | solar

Product code: 52582

Qoltec's 1000V fuse will work well as overcurrent and short circuit protection. The set includes a fuse housing with a diode and a replaceable 10x38 mm insert . For use in photovoltaic systems.

SAFETY IS OUR PRIORITY - TRUST OUR FUSES



Every circuit of an electrical installation must be properly protected from the effects of overloads and short circuits, so it is **mandatory to use the appropriate protection**. One such device is a **DC fuse**, which helps remove the current when the current in the circuit is too high. It effectively eliminates the risk of damage to the installation caused by a temporary overvoltage or short circuit, which can damage the network and connected equipment.

HIGH QUALITY AND DURABILITY



Qoltec brand DC fuse is made of high quality material moreover it features :

- fireproof housing,
- durability,
- made of corrosion-resistant material,
- replaceable and easy to use,
- It has a diode indicating the operation of the fuse,
- long service life.

CONFIDENCE CONFIRMED BY A WARRANTY



Do you care about the high quality of the product you buy? Our solutions will meet your expectations. The product comes with a 24-month warranty valid from the date of purchase.

TECHNICAL DATA

| | |
|--------------------------|--|
| Producer | Qoltec |
| Fuse | Yes |
| Rated voltage | 1000V |
| Rated current | 30 A |
| Class | II |
| Number of poles | 1P |
| Type of assembly | TH35 |
| IP rating | IP20 |
| Usage | Photovoltaics, solar panels |
| Additional information | The set includes a fuse housing with a diode and a replaceable 10x38 mm insert |
| Material | PA66 + cooper |
| Relative humidity | +20 95%+40 50% |
| Operating temperature | -10°C ~ +85°C |
| Dimensions (D/L x W x H) | 75 x 84 x 19 mm |
| Net weight [kg] | 0.084 |
| Gross weight [kg] | 0.085 |
| Certificate | CE |
| Warranty | 24 month |
| EAN code | 5901878525822 |