

Qoltec 3-in-1 Multifunctional Jump Starter | 1000A | 10000mAh Power Bank | LED Torch | 2xUSB

Product code: 52820

The Qoltec Multifunctional Jump Starter, featuring a power bank and an LED torch, is a practical companion for travel and emergencies. With a peak current of 1000A, it enables emergency starting of vehicles with a 12V system, without the need for assistance from another car. Equipped with a 10,000mAh battery, two USB ports – one of which features QC3.0 fast-charging technology – and an LED torch with three lighting modes, it combines functionality, convenience and safety in a single compact device.

RELIABLE START-UP IN UNFORESEEN SITUATIONS



On-the-Road Independence – Support for Gasoline Engines up to 4.0L and Diesel Engines up to 2.0L

A dead battery doesn't have to mean a forced stop or the need to call roadside assistance. The Qoltec Jump Starter, with a 400A cranking current and a maximum peak current of 1000A, allows you to start a vehicle with a 12V system on your own, without the help of another car. Simply connect the clamps to the battery correctly, and once the green indicator lights up, start the engine. This is a practical solution for both daily commutes and longer trips, when a quick response and independence matter most.

A PORTABLE POWER SOURCE ALWAYS AT YOUR FINGERTIPS



Two USB ports – greater flexibility when charging mobile devices

The power bank feature makes the Qoltec Jump Starter useful not only during car breakdowns. The built-in 10,000 mAh battery allows you to charge smartphones, tablets, and other compatible mobile devices. You have two USB-A ports at your disposal: a standard 5V/2A port and a port with QC3.0 fast-charging technology. This makes the device ideal for travel, camping, or outdoor activities when access to an electrical outlet is limited. The USB-C port lets you conveniently charge the jump starter itself, preparing it for its next use.

ADDITIONAL LIGHTING IN EMERGENCY SITUATIONS



3 lighting modes – functionality even after dark

The built-in LED flashlight expands the device's capabilities, providing an additional light source during an unexpected stop or when working on the car after dark. There are three lighting modes to choose from: steady light, SOS, and strobe. The first makes it easier to illuminate your immediate surroundings, while the others allow you to signal an emergency. Switching between modes is done using a dedicated button, ensuring convenient operation.

SAFETY AND CONTROL DURING STARTUP



Safety System and Intelligent Operating Status Indicator

The Qoltec Jump Starter is equipped with protection against short circuits, reverse polarity, and sparking, which increases safety when connecting the device to a vehicle battery. Additional control is provided by a visual and audible alert system that notifies the user of incorrect terminal connections, overheating, or a low charge level. A green indicator confirms a proper connection and readiness to start, facilitating safe and informed operation of the device.

TRUST BACKED BY A GUARANTEE

This product comes with a 24-month warranty
Do you care about buying a high-quality product? Our solutions will meet your expectations. Each of the jump starters we offer comes with a 24-month warranty valid from the date of purchase.

TECHNICAL DATA

Producer	Qoltec
Input voltage	5V/2A
DC output	5V
Charge voltage	5V/2A (USB-C)
Charging time	approx. 7 hours
Battery capacity	10000mAh
Starting current	400A
Peak current	1000A
Number of cycles	1000 cycles
Supported engines	Petrol engine: up to 4.0L, diesel engine: up to 2.4L
Protection	▪ Short-circuit protection ▪ Reverse polarity protection ▪ Spark protection
IP Rating	IP50
Usage	lithium-polymer (Li-Po) batteries
Additional information	2 USB-A ports: 5V/2A and 5V/3A (QC3.0 – fast charging)
OTHER PARAMETERS	
Colour	Black, grey
Material	ABS
Dimensions (D/L x W x H)	43 x 184 x 85 mm
Package	Box
Package contents	1 x Jump starter 1 x Jump leads 1 x USB-A/USB-C cable 1 x User manual
Package depth / length [mm]	117
Package width [mm]	235
Package height [mm]	97
Working temperature	0 C - 45 C
Net weight [kg]	0.569
Gross weight [kg]	0.697
Warranty	24 months
EAN code	5901878528205