



Qoltec SC/UPC fiber optic fast connector | Singlemode | 3.0mm

Product code: 54495

The fast connector allows the termination of optical fiber without the need for welding.

Connectors: SC/UPC

Fiber type: Singlemode

FIBER OPTIC FAST CONNECTOR



FAST CONNECTION, PRECISION OF WORKMANSHIP

Fiber optic fast connectors guarantee low attenuation and allow fiber optic termination **without the need for welding**.

The fast connectors are suitable for terminating optical lines wherever conventional glued optical connectors are used, e.g. for terminating optical fibres in building switch boxes.

SC/UPC CONNECTORS



SC connectors are designed for **use in telecommunications**. They are also used in active devices such as video converters and media. They ensure **quick and easy** connection and are **resistant** to connection defects. The shape of the joint allows for easy and safe installation. In addition to telecommunications applications, the SC fiber optic connector is used in LAN and WAN networks, CATV networks, measurement techniques, sensor systems and on railways. The UPC connector has a flat polished ferrule face. Due to the risk of damage, the APC and UPC connectors cannot be paired with each other.

TRUST CONFIRMED BY WARRANTY

Do you care about the high quality of the product you buy? **Our solutions will meet your expectations**. Each of the quick couplers we offer has a 24-month warranty valid from the date of purchase.

TECHNICAL DATA

Producer	Qoltec
Type connectors	SC/UPC
Fiber type	Singlemode
Usage	Telecommunications, industry, wide-area and local city networks, passive fiber-optic networks, cable TV
Diameter cable	3.0 mm
Length of connector	50 mm
Package contents	Qoltec SC/UPC fiber optic fast connector
Package	Polybag
Package depth / length [mm]	70
Package width [mm]	15
Package height [mm]	120
Net weight [kg]	0.0020
Gross weight [kg]	0.0030
Warranty	24 months
EAN code	5901878544953