

-theon-4-tft-lcd-43-white

#### ACCESS CONTROL



# Qoltec Video doorphone Theon 4 | TFT LCD 4.3" | White

Product code: 51780

Qoltec video doorphone is a product made of high-quality materials that guarantee reliable operation. Our product also offers:

- 4.3" TFT LCD display.
- wide viewing angle,
- night mode,
- functions: "do not disturb" and opening the gate,
- protection against rain and low temperatures,
- modern look and comfort of use,
- 16 melodies to choose from

### **PROFESSIONAL GUARDIAN OF YOUR HOME**



How many times when answering the video doorphone you heard "Please open. Letter carrier", after which a suspicious man without a uniform appeared in the stairwell? Or how much would you give on a Saturday night knowing that a curious neighbor from the property next door calls your wicket, not your colleagues? If your intercom does not give you full control over who you let into your property or company, it is time to choose a modern solution, which is a video doorphone. It is a device thanks to which you will not only see and hear the person at the door but also open the entrance gate without leaving the house. The Qoltec brand has in its offer video doorphone, which are ideal for both your company and home.

## UNIVERSAL SOLUTION FOR YOUR HOME

We always **pay attention to the details** of the equipment we produce so that they meet the expectations of our customers. **Qoltec video doorphones** are made of the highest quality materials that guarantee their reliable operation. Not only did we take care of the modern design, but we also equipped them with additional functions:

- 4.3" TFT LCD display ensures excellent

image quality,

- the ultra-thin design is a modern look that fits perfectly into any room,

- the option of connecting two monitors and communication between them guaranteeing the comfort of use regardless of where you are, - night mode (infrared IR) provides excellent visibility after dark

provides excellent visibility after da

# BET ON COMFORT OF USE

То

guarantee the highest level of work, we have equipped our device with additional functions:

wide viewing angle so you will not miss anything,
option "do not disturb" for people who can appreciate moments of peace,
the gate unlock function provide convenience with one button,
the rain cover and low-temperature protection protect the device even in severe weather conditions,
16 different rings - choose your favorite melody or change it every day

## **CONFIDENCE CONFIRMED BY A WARRANTY**

If you value the quality of purchased equipment our projects and solutions are focused on meeting your expectations. Qoltec video doorphone is covered by 24 months warranty.

**TECHNICAL DATA** 

Producer	Qoltec
Display	4.3" TFT colour LCD
Effective area	954 x 586 mm
Dot pitch	0.370 x 0.107 mm
Outline size	170 x 120 x 16 mm
Output voltage	12 V ; 1 A
Input voltage	220 - 2040 V ; 50 - 60 Hz
Power consumption	static state: < 0,2 W ; warking state: < 5 W
Monitoring time	40 s +/- 10%
Talking time	120 s +/- 10%
Working distance	50 m
Night vision	Yes (IR Light)
Resolution	indoor panel: 480 x 272; outdoor panel: 700 TVL (CMOS)
Ilumination	0.1 LUX (outdoor panel)
Viewing angle	110
IP Rating	IP 55
Dimensions indoor panel	168 x 119 x 12 mm
Dimensions outdoor panel	with rain cover: 168 x 87 x 41 mm; without rain cover: 159 x 79 x 30
Additional information	option to connect 2 monitors
	emote unlocking do not disturb function gate unlocking function ultra thin volume and brightness control 16 ringer melodies
Package contents	remote unlocking do not disturb function gate unlocking function ultra thin volume and brightness control
	remote unlocking do not disturb function gate unlocking function ultra thin volume and brightness control 16 ringer melodies indoor panel outdoor panel rain cover power cable
Package contents	remote unlocking do not disturb function gate unlocking function ultra thin volume and brightness control 16 ringer melodies indoor panel outdoor panel rain cover power cable mounting kit
Package contents Operating temperature	remote unlocking do not disturb function gate unlocking function ultra thin volume and brightness control 16 ringer melodies indoor panel outdoor panel rain cover power cable mounting kit - 20 C ~ + 50 C
Package contents Operating temperature Relative humidity	remote unlocking do not disturb function gate unlocking function ultra thin volume and brightness control 16 ringer melodies indoor panel outdoor panel rain cover power cable mounting kit - 20 C ~ + 50 C 10 % ~ 90 %
Package contents         Operating temperature         Relative humidity         Package depth / length [mm]	remote unlocking do not disturb function gate unlocking function ultra thin volume and brightness control 16 ringer melodies indoor panel rain cover power cable mounting kit - 20 C ~ + 50 C 10 % ~ 90 % 320
Package contents Package contents Operating temperature Relative humidity Package depth / length [mm] Package width [mm]	remote unlocking do not disturb function gate unlocking function ultra thin volume and brightness control 16 ringer melodies indoor panel outdoor panel outdoor panel rain cover power cable mounting kit - 20 C ~ + 50 C 10 % ~ 90 % 320 85
Package contents Package contents Package depth / length [mm] Package height [mm]	remote unlocking do not disturb function gate unlocking function ultra thin volume and brightness control 16 ringer melodies indoor panel outdoor panel rain cover power cable mounting kit - 20 C - + 50 C 10 % - 90 % 320 85 220
Package contents         Package contents         Operating temperature         Relative humidity         Package depth / length [mm]         Package width [mm]         Package height [mm]         Net weight [kg]	remote unlocking do not disturb function gate unlocking function ultra thin volume and brightness control 16 ringer melodies indoor panel rain cover power cable mounting kit - 20 C ~ + 50 C 10 % ~ 90 % 320 85 20 20 20 20 20
Package contents         Package contents         Operating temperature         Relative humidity         Package depth / length [mm]         Package width [mm]         Package height [mm]         Net weight [kg]         Gross weight [kg]	remote unlocking do not disturb function gate unlocking function ultra thin volume and brightness control 16 ringer melodies indoor panel outdoor panel outdoor panel autocor power cable mounting kit - 20 C ~ + 50 C 10% ~ 90% 220 85 220 85 220 0.4480 0.7800